

Flu Watch

MMWR Week 25: June 16 to June 22, 2019

All data are provisional and subject to change as more reports are received.

Geographic Spread



South Carolina reported sporadic activity this week.

Influenza Activity



Overall, there was no change in influenza activity this week.

Regional Influenza Activity



No change



A decrease




No change



No change


Virologic Surveillance

This week there were **2** lab-confirmed tests reported. Influenza A was most frequently reported. In the current flu season, there have been **4706** lab-confirmed tests reported.



Influenza-Like Illness Surveillance

The percent of patient visits to sentinel providers for an influenza-like illness (ILI) was 0.7%, which is below South Carolina's baseline (3.53%). The ILI activity level overall was minimal



Influenza-Associated Hospitalizations

This week 4 influenza-associated hospitalizations were reported by 36 hospitals. The cumulative hospitalization rate is 54.0 per 100,000. In the current flu season, there have been 2713 influenza-associated hospitalizations.

Influenza-Associated Deaths

This week 1 influenza-associated death was reported; however, the death occurred during previous weeks. The cumulative mortality rate is 2.0 per 100,000. In the current flu season, there have been 98 influenza-associated deaths.

For a description of South Carolina's influenza surveillance components and definitions go to:


<http://www.scdhec.gov/Health/DiseasesandConditions/InfectiousDiseases/Flu/FluData/>

For national surveillance, please visit:

<https://www.cdc.gov/flu/weekly/>

Influenza Activity*

In the 4 Public Health Regions, activity showed...



Overall there was no change in influenza activity statewide.

Influenza Indicator	Change from Previous Week
Lab-confirmed tests	Decreased
ILI Percent	No change
Hospitalizations	Increased

*Indicators for assessing influenza activity include: lab-confirmed tests, ILI percent, and hospitalizations.

Virologic Surveillance


Influenza Type	Season Totals To Date				
	No. (%)	This Week	2018-19	2017-18	2016-17
Overall		2	4706	‡	‡
Influenza A		2(100.0)	4555(96.7)		
A(H3)		--	602(13.2)		
A(H1N1)		1(10.0)	463(10.2)		
A(NS)*		1(10.0)	3490(76.6)		
Influenza B		--	151(3.3)		
B (Victoria)		--	2(1.3)		
B (Yamagata)		--	--		
B (LND)+		--	149(98.7)		

*NS – not subtyped +LND – lineage not determined


‡Data currently unavailable

Nationally, the influenza season begins with MMWR week 40 and ends with MMWR week 39. The 2018-19 influenza season began on September 30, 2018 and will end on September 28, 2019.


Week ending 6/22



Cumulative



■ A not subtyped ■ A(H1N1) ■ A (H3) ■ B (lineage not determined) ■ B (YAM) ■ B (VIC)




Influenza-Like Illness Surveillance

This week, the ILI activity level was **minimal** and 0.7% of patient visits to SC ILINet providers was attributed to an influenza-like illness. This is below the state baseline, 3.53%.


Reports were received from providers in 14 counties, representing all DHEC Public Health regions.

ILI percentage is dependent upon the number of reporting providers and/or can vary by disease activity or the number of providers submitting reports.

Percentage of Influenza-like Illness (ILI) Visits Reported by Sentinel Providers for Past and Current Seasons



County ILI Percent



State ILI Activity Level 2018-19 Calendar by Week of the Year


OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
40	44	48	1	5	9	14	18	22	27	31	36
41	45	49	2	6	10	15	19	23	28	32	37
42	46	50	3	7	11	16	20	24	29	33	38
43	47	51	4	8	12	17	21	25	30	34	39
		52			13			26		35	

ILI ACTIVITY LEVELS: **MINIMAL** LOW MODERATE HIGH

Influenza-Associated Hospitalizations And Deaths

Hospitalizations No. (Rate)	Overall	Ages 0-4	Ages 5-17	Ages 18-49	Ages 50-64	Ages 65+
This Week	4(0.1)	--	--	1(0.05)	1(0.1)	2(0.2)
2018-19	2713(54.0)	124(42.2)	127(15.7)	415(20.1)	669(67.0)	1378(159.4)
2017-18	4498(89.5)	159(54.1)	141(17.4)	584(28.4)	1054(105.6)	2560(296.1)
2016-17	2500(50.4)	114(39.1)	131(16.2)	337(16.5)	562(56.7)	1356(163.5)
5 season average	2719(55.3)	158(54.2)	119(14.9)	440(21.7)	639(65.2)	1362(168.6)

Deaths No. (Rate)	Overall	Ages 0-4	Ages 5-17	Ages 18-49	Ages 50-64	Ages 65+
This Week	--	--	--	--	--	--
2018-19	98(2.0)	2(0.7)	1(0.1)	7(0.4)	26(2.4)	62(7.3)
2017-18	291(5.8)	3(1.0)	--	27(1.3)	52(5.2)	209(24.2)
2016-17	96(1.9)	1(0.3)	1(0.1)	9(0.4)	16(1.6)	69(8.3)
5 season average	129(2.6)	1 (0.3)	1 (0.1)	15(0.7)	24(2.4)	89(10.8)



Influenza-Associated Deaths by Region

